



2024-23 Series Event 5 Pattern on 4-14-2024




Oil Pattern Distance	47	Reverse Brush Drop	42	Oil Per Board	50 uL
Forward Oil Total	14.2 mL	Reverse Oil Total	11.35 mL	Volume Oil Total	25.55 mL
Tank Configuration	A Only	Tank A Conditioner	Standard	Tank B Conditioner	Standard

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	14	3	A	111	0.0	3.9	3.9	5550
2	11L	11R	2	14	3	A	38	3.9	7.8	3.9	1900
3	12L	12R	3	18	3	A	51	7.8	15.4	7.6	2550
4	13L	13R	3	18	3	A	45	15.4	23.0	7.6	2250
5	14L	14R	3	18	3	A	39	23.0	30.6	7.6	1950
6	2L	2R	0	26	3	A	0	30.6	36.0	5.4	0
7	2L	2R	0	30	3	A	0	36.0	47.0	11.0	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	A	0	47.0	36.0	-11.0	0
2	13L	13R	2	22	3	A	30	36.0	29.8	-6.2	1500
3	12L	12R	2	18	3	A	34	29.8	24.7	-5.1	1700
4	11L	11R	2	18	3	A	38	24.7	19.6	-5.1	1900
5	10L	10R	2	18	3	A	42	19.6	14.5	-5.1	2100
6	9L	9R	2	18	3	A	46	14.5	9.4	-5.1	2300
7	2L	2R	1	18	3	A	37	9.4	6.9	-2.5	1850
8	2L	2R	0	14	3	A	0	6.9	0.0	-6.9	0

Cleaner Ratio Main Mix NA Forward
Cleaner Ratio Back End Mix NA Reverse
Cleaner Ratio Back End Distance NA Combined
Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	6.25	2.66	1.02	1.02	2.66	6.25

